



PARTS CAP

Leece-Neville

HEAVY DUTY SYSTEMS



PowerPro[®] & PowerPro[®] Extreme Starters

PowerPro[®] and PowerPro[®] Extreme high-torque heavy duty starters feature exclusive technologies that help reduce operating costs, increase production and decrease downtime.



PowerPro® 7 Starters

Part #	OCP	Engine Cross Reference
M 110601	No	MBE4000 DD-13 DD-15
M 110604	Yes	MBE4000 DD-13 DD-15
M 110613	Yes	DD-13, DD-15 (2016 & Newer)
M 110615	No	CAT C 12 CAT C 13 CAT C 15 CUMMINS ISM CUMMINS ISX CUMMINS N14 DETROIT S60
M 110603	Yes	CAT C 12 CAT C 13 CAT C 15 CUMMINS ISM CUMMINS ISX CUMMINS N14 DETROIT S60
M 110602	No	VOLVO D 12/13 MACK MP8
M 110605	Yes	VOLVO D 12/13 MACK MP8
M 110606	No	MaxForce 11L, 13L
M 110610	Yes	MaxForce 11L, 13L
M 110608	No	PACCAR MX-11, MX-13

Product Highlights (PowerPro® 7 Starters)

Overcrank Protection (Optional)

Protects the motor in any operating condition for a reliable start anywhere, any time

Robust Armature Design

Reduces power losses & provides higher reliability for more consistent performance

Heavy Duty Brush Plate

Improves performance through increased surface area & better conductivity

High Power Rating

Faster, more efficient crank & source of power

Soft Start Relay

Helps eliminate ring gear damage



Integral Magnetic Switch (IMS)

Helps eliminate voltage drop issues by minimizing wiring between the relay & solenoid

Sealed Nose Housing

Adds service life & protects internal components

Performance eCoating

Superior corrosion resistance**

Rotatable Flange

Ideal for reduced inventory & maximum profit opportunities**

** eCoating and Rotatable Flange not available on M110608

PowerPro[®] Extreme 5 Starters

Product Highlights (PowerPro[®] Extreme 5 Starters)

Robust Armature Design

Reduces power loss & provides higher reliability for more consistent performance

Soft Start Relay

Ensures positive pinion engagement with the flywheel & reduces potential for ring gear damage

Integral Magnetic Switch (IMS)

Helps eliminate voltage drop issues by minimizing the ring distance between relay & solenoid

Fully Sealed Noseless Design

Adds service life & protects internal components

General Production Information

Warranty Information



For more information on the PowerPro® 7 Starters click [here \(http://www.powerprostarters.com/powerpro-7/?utm_source=DaimlerPartsCap_pp7sec&utm_medium=portal_page&utm_campaign=more_info\)](http://www.powerprostarters.com/powerpro-7/?utm_source=DaimlerPartsCap_pp7sec&utm_medium=portal_page&utm_campaign=more_info)

For more information on the PowerPro® Extreme 5 Starters click [here \(http://www.powerprostarters.com/powerpro-extreme-5/?utm_source=DaimlerPartsCap_ppx5sec&utm_medium=portal_page&utm_campaign=more_info\)](http://www.powerprostarters.com/powerpro-extreme-5/?utm_source=DaimlerPartsCap_ppx5sec&utm_medium=portal_page&utm_campaign=more_info)

PowerPro Extreme 5: Prestolite Power Promise:

Each PowerPro Extreme 5 starter now carries a complete 2-year/unlimited mileage warranty for truck applications and 3-year/unlimited mileage warranty for school bus applications and an extended list of available qualifying failure claims. Learn more [here \(https://www.powerprostarters.com/wp-content/uploads/2020/09/PEI-PPP-Warranty-Flyer-0920-web.pdf\)](https://www.powerprostarters.com/wp-content/uploads/2020/09/PEI-PPP-Warranty-Flyer-0920-web.pdf) .

PowerPro7:

Truck Applications, 1-Year/150,000-Miles* / 3-Year/350,000-Miles* with OCP.

*Check with your Prestolite representative for more details

Last updated: Tuesday, 25 October 2022 02:54 PM

[^Back to Top](#)

Copyright © Daimler Truck North America LLC. [Privacy Statement, Legal Notices and Terms \(https://daimler-trucksnorthamerica.com/privacy-policy\)](https://daimler-trucksnorthamerica.com/privacy-policy).

All rights reserved. Daimler Truck North America LLC is a [Daimler \(http://www.daimler.com/\)](http://www.daimler.com/) company.

